


# LED Edge-lit Panel Light 12W

Barcode: 8433325182014



## Specification

|            |             |
|------------|-------------|
| Dimensions | L295*W295mm |
| Technology | LED         |

## Technical parameters

|                                   |             |
|-----------------------------------|-------------|
| Voltage                           | 220-240V~   |
| Luminous flux                     | 1400lm      |
| EEL                               | E           |
| Current                           | 100mA       |
| CRI                               | Ra≥80       |
| Beam angle                        | 120°        |
| Hg%                               | < 0.1%      |
| Power                             | 12W         |
| Incandescent Lamp Power           | 94W         |
| Frequency                         | 50/60Hz     |
| Color temperature                 | 6500K       |
| Power consumption per 1,000 hours | 12kwh/1000h |
| DF                                | > 0.7       |

## Application environment

|                     |              |
|---------------------|--------------|
| Environment         | Indoor       |
| Working Temperature | -20°C ~ 40°C |

## Life span

|                     |              |
|---------------------|--------------|
| Life span           | 25000h       |
| Switching frequency | > 10000times |

## Material

|                |               |
|----------------|---------------|
| Main Materials | Aluminum&PMMA |
|----------------|---------------|


## Certification

|               |   |
|---------------|---|
| Certification |   |
|---------------|---|

## Package


|                   |              |
|-------------------|--------------|
| Package           | pc/color box |
| Outer Package     | pcs/ctn      |
| Unit package qty  | One          |
| Outer package qty | 10           |

## Light distribution curves



## Dimensional diagram

Size(mm):295×295×8



## Certification Download

Instruction  
manual

Download

EEl

Download